



IK08

IP65

ECA

1-10V

Bluetooth  
Wi-Fi

L80

Hourglass

5

Truck

1-10V  
DIMMABLE

CONTROLS  
AND ADVICE  
ON REQUEST

85,000  
HOURS

YEARS'  
WARRANTY

NEXT DAY  
DELIVERY

INDUSTRIAL RANGE



VENTURE  
LIGHTING



The improved Hyskeir Pro 2 Highbay featuring our **new green design** delivers the same lumen package with a **20% smaller heatsink profile**. Packaging volume has been reduced by 35-45% using **fully recyclable cardboard**. An all in one solution for your highbay requirements.

# HYSKEIR

## PRO 2 HIGHBAY

# 90W Hyskeir Pro 2 Highbay, 840, 1-10V

Order Code: IND165v2-C10

## Photometric Data

Nominal Lumens	13000
Light Distribution	Symmetric
Lens / Reflector	None

## Life Data




Rated Life L70/B10 @ 25°C	100000
Rated Life L80/B10 @ 25°C	65000
Rated Life L90/B10 @ 25°C	30000

## Electrical Data

Input (W)	100
Input (V)±10%	220 - 240
Voltage Type	AC
Power Factor	0.95
Type of Wiring	Ending
Wiring X-sec (mm <sup>2</sup> )	Yes
1-10V Dimming	Yes
LED Nominal Current (mA)	750 - 750

## Physical Data

With Protective Cover	Yes
Ambient Rated Temperature Range (°C)	-30 - 40
Degree of Protection (IP)	IP65
Housing Colour	Black
Housing Material	Aluminium
Reflector	None
Height/Depth (mm)	185
Diameter (mm)	260
Lamp Type	LED Not Exchangeable
Reflector Material	Without Reflector
Ball Proof	Yes
Impact Strength	IK08



# 90W Hyskeir Pro 2 Highbay, 840, 1-10V

Order Code: IND165v2-C10

## Accessories

ACS137 - 60° Aluminium Reflector

ACS142 - 90° Polycarbonate Reflector

ACS138 - 90° Aluminium Reflector

ACS141 - Surface Mounting Bracket

ACS140 - Programming Remote for Microwave Sensors

ACS140v2 - V2 Programming Remote for Microwave Sensors

## Logistical Data

Item Gross Weight (kg)	4
Packaging Length (cm)	32
Packaging Width (cm)	32
Packaging Height (cm)	21