



1-10V  
DIMMABLE

CONTROLS  
AND ADVICE  
ON REQUEST

85,000  
HOURS

5  
YEARS'  
WARRANTY

NEXT DAY  
DELIVERY

INDUSTRIAL RANGE



VENTURE  
LIGHTING



The improved Hyskeir Pro 2 Highbay featuring our **new green design** delivers the same lumen package with a **20% smaller heatsink profile**. Packaging volume has been reduced by 35-45% using **fully recyclable cardboard**. An all in one solution for your highbay requirements.

# HYSKEIR

## PRO 2 HIGHBAY

# 240W Hyskeir Pro 2 Highbay, 840, 1-10V

Order Code: IND215v2-C10

## Photometric Data

Nominal Lumens	33800
Light Distribution	Symmetric
Lens / Reflector	None

## Life Data


Rated Life L70/B10 @ 25°C	85000
Rated Life L80/B10 @ 25°C	60000
Rated Life L90/B10 @ 25°C	25000

## Electrical Data

Input (W)	260
Input (V)±10%	220 - 240
Voltage Type	AC
Power Factor	0.95
Type of Wiring	Ending
Wiring X-sec (mm <sup>2</sup> )	Yes
1-10V Dimming	Yes
LED Nominal Current (mA)	1900 - 1900

## Physical Data

With Protective Cover	Yes
Ambient Rated Temperature Range (°C)	-30 - 35
Degree of Protection (IP)	IP65
Housing Colour	Black
Housing Material	Aluminium
Reflector	None
Height/Depth (mm)	205
Diameter (mm)	320
Lamp Type	LED Not Exchangeable
Reflector Material	Without Reflector
Ball Proof	Yes
Impact Strength	IK08



# 240W Hyskeir Pro 2 Highbay, 840, 1-10V

Order Code: IND215v2-C10

## Accessories

ACS137 - 60° Aluminium Reflector

ACS142 - 90° Polycarbonate Reflector

ACS138 - 90° Aluminium Reflector

ACS141 - Surface Mounting Bracket

ACS140 - Programming Remote for Microwave Sensors

ACS140v2 - V2 Programming Remote for Microwave Sensors

## Logistical Data

Item Gross Weight (kg)	6
Packaging Length (cm)	39
Packaging Width (cm)	39
Packaging Height (cm)	22