



1-10V  
DIMMABLE

CONTROLS  
AND ADVICE  
ON REQUEST

100,000  
HOURS  
(AT 25°C)

50,000  
HOURS  
(AT 65°C)

5  
YEARS'  
WARRANTY  
(AT 65°C)

10  
YEARS'  
WARRANTY  
(AT 40°C)

NEXT DAY  
DELIVERY

## INDUSTRIAL RANGE



VENTURE  
LIGHTING



A premium high efficiency, low maintenance LED luminaire designed using the best components. Achieves 140 Lumens per Watt even at raised temperature levels of 65°C in the most demanding industrial applications with its high-pressure diecast aluminium housing.

# HYSKEIR

## ELITE HIGHBAY

# 240W Hyskeir Highbay ELITE , 850, 1-10V

Order Code: IND178-C10

## Photometric Data

Nominal Lumens	35200
Light Distribution	Symmetric
Lens / Reflector	None

## Life Data


Rated Life L80/B50 @ 25°C	100000
---------------------------	--------

## Electrical Data

Input (W)	260
Input (V)±10%	120 - 277
Voltage Type	AC
Power Factor	0.95
Type of Wiring	Ending
Wiring X-sec (mm <sup>2</sup> )	1.0
1-10V Dimming	Yes
LED Nominal Current (mA)	5600 - 5600

## Physical Data

With Protective Cover	Yes
Ambient Rated Temperature Range (°C)	-40 - 50
Degree of Protection (IP)	IP66
Housing Colour	Black
Housing Material	Aluminium
Reflector	None
Height/Depth (mm)	220
Diameter (mm)	320
Lamp Type	LED Not Exchangeable
Reflector Material	Without Reflector
Impact Strength	IK10



# 240W Hyskeir Highbay ELITE , 850, 1-10V

Order Code: IND178-C10

## Accessories

ACS137 - 60° Aluminium Reflector

ACS138 - 90° Aluminium Reflector

ACS141 - Rotatable Mounting Bracket

ACS142 - 90° Polycarbonate Refractor

EMG024 - High Output Emergency Pod

## Logistical Data

Item Gross Weight (kg) 7.2

Packaging Length (cm) 39

Packaging Width (cm) 39

Packaging Height (cm) 21