



50,000  
HOURS



YEARS'  
WARRANTY




NEXT DAY  
DELIVERY

COMMERCIAL RANGE



VENTURE  
LIGHTING



The new Baily batten is designed with the installer in mind. With BESA fixing points and a quick install gear tray, installation time can be greatly reduced. Available with a range of energy saving sensors, emergency and DALI options the Baily Batten adapts to your needs.

# BAILY BATTEN

# 50W Baily Batten, 5ft, 840

Order Code: BTN043

## Photometric Data

Lumens	6500
Colour Temperature (K)	4000 - 4000
Lens / Reflector	Diffuser lens/optic/panel

## Life Data


Rated Life L70/B10 @ 25°C	50000
Rated Life L70/B50 @ 25°C	50000
Rated Life L80/B50 @ 25°C	50000

## Electrical Data

Input (W)	55
Input (V)±10%	220 - 240
Voltage Type	AC
Power Factor	0.95
Type of Wiring	Ending
Wiring X-sec (mm <sup>2</sup> )	1.5
Non-dimmable	Yes
LED Nominal Current (mA)	1200 - 1200

## Physical Data

Degree of Protection (IP)	IP20
Housing Colour	White
Length (mm)	1460
Width (mm)	62
Height/Depth (mm)	78
Lamp Type	LED Not Exchangeable



# 50W Baily Batten, 5ft, 840

Order Code: BTN043

## Accessories

ACS030 - Commissioning Remote for SL Sensors

ACS067 - Programming Remote for SL Sensors

ACS153 - Remote for SB Sensors

## Logistical Data

Item Gross Weight (kg)	2.6
Packaging Length (cm)	146.5
Packaging Width (cm)	6.5
Packaging Height (cm)	8.5
Carton Quantity	6
Carton Length (cm)	148
Carton Width (cm)	18
Carton Height (cm)	21
Carton Gross Weight (kg)	16.5