IK10 | IP65 | ECA | CONTROLS AND ADVICE ON REQUEST | 1-10V DIMMABLE | L80 50,000 HOURS | 5 YEARS' WARRANTY | NEXT DAY DELIVERY

INDUSTRIAL SPECIALIST RANGE

VENTURE LIGHTING

Improving on its predecessor, the new **VRack 2** is a **highly versatile** linear highbay designed for warehouse racking. Available with **multiple optics,** adaptable to a **wide range** of design requirements for **wet or dry**, **high or low**, **narrow or wide** applications.

VRACK 2

LINEAR HIGHBAY

90W VRack 2 Linear Highbay, 850, 1-10V

Order Code: VRK011-C10

Photometric Data	
Nominal Lumens	13000
Light Distribution	Asymmetric
Lens / Reflector	Refractor Lens

Life Data	
Rated Life L70/B50 @ 25°C	100000
Rated Life L80/B50 @ 25°C	80000

Electrical Data	
Input (W)	100
Input (V)±10%	220 - 240
Voltage Type	AC
Power Factor	0.95
Type of Wiring	Ending
Wiring X-sec (mm^2)	1.5
1-10V Dimming	Yes

Physical Data	
With Protective Cover	Yes
Ambient Rated Temperature Range (°C)	-25 - 40
Degree of Protection (IP)	IP65
Housing Colour	Black
Housing Material	Aluminium
Reflector	None
Length (mm)	488
Width (mm)	137
Height/Depth (mm)	102
Lamp Type	LED Not Exchangeable
Reflector Material	Without Reflector
Impact Strength	IK10



90W VRack 2 Linear Highbay, 850, 1-10V

Order Code: VRK011-C10

Accessories
ACS083 - Triangle Ceiling Mount Bracket
ACS085 - 50° Rotatable Surface Mounting Kit
ACS067 - Programming Remote for SL / SH Sensors
ACS030 - Commissioning Remote for SL / SH Sensors

Logistical Data	
Item Gross Weight (kg)	3.7
Packaging Length (cm)	79
Packaging Width (cm)	20
Packaging Height (cm)	16