



CONTROLS AND  
ADVICE ON  
REQUEST

1-10V  
DIMMABLE

50,000  
HOURS

5  
YEARS'  
WARRANTY

NEXT DAY  
DELIVERY

INDUSTRIAL SPECIALIST RANGE



VENTURE  
LIGHTING



Improving on its predecessor, the new **VRack 2** is a **highly versatile** linear highbay designed for warehouse racking. Available with **multiple optics**, adaptable to a **wide range** of design requirements for **wet or dry, high or low, narrow or wide** applications.

# VRACK 2

LINEAR HIGHBAY

# 140W VRack 2 Linear Highbay, 850, 1-10V

Order Code: VRK012-C10

## Photometric Data

Nominal Lumens	19500
Light Distribution	Asymmetric
Lens / Reflector	Refractor Lens

## Life Data


Rated Life L70/B50 @ 25°C	100000
Rated Life L80/B50 @ 25°C	80000

## Electrical Data

Input (W)	150
Input (V)±10%	220 - 240
Voltage Type	AC
Power Factor	0.95
Type of Wiring	Ending
Wiring X-sec (mm <sup>2</sup> )	1.5
1-10V Dimming	Yes

## Physical Data

With Protective Cover	Yes
Ambient Rated Temperature Range (°C)	-25 - 40
Degree of Protection (IP)	IP65
Housing Colour	Black
Housing Material	Aluminium
Reflector	None
Length (mm)	718
Width (mm)	137
Height/Depth (mm)	102
Lamp Type	LED Not Exchangeable
Reflector Material	Without Reflector
Impact Strength	IK10



# 140W VRack 2 Linear Highbay, 850, 1-10V

Order Code: VRK012-C10

## Accessories

ACS083 - Triangle Ceiling Mount Bracket

ACS085 - 50° Rotatable Surface Mounting Kit

ACS067 - Programming Remote for SL / SH Sensors

ACS030 - Commissioning Remote for SL / SH Sensors

## Logistical Data

Item Gross Weight (kg) 5.1

Packaging Length (cm) 102

Packaging Width (cm) 20

Packaging Height (cm) 16