



CONTROLS AND
ADVICE ON
REQUEST

1-10V
DIMMABLE

50,000
HOURS

5
YEARS'
WARRANTY

NEXT DAY
DELIVERY

INDUSTRIAL SPECIALIST RANGE



VENTURE
LIGHTING



Improving on its predecessor, the new **VRack 2** is a **highly versatile** linear highbay designed for warehouse racking. Available with **multiple optics**, adaptable to a **wide range** of design requirements for **wet or dry, high or low, narrow or wide** applications.

VRACK 2

LINEAR HIGHBAY

185W VRack 2 Linear Highbay, 850, 1-10V

Order Code: VRK013-C10

Photometric Data

Nominal Lumens	26000
Light Distribution	Asymmetric
Lens / Reflector	Refractor Lens

Life Data


Rated Life L70/B50 @ 25°C	100000
Rated Life L80/B50 @ 25°C	80000

Electrical Data

Input (W)	200
Input (V)±10%	220 - 240
Voltage Type	AC
Power Factor	0.95
Type of Wiring	Ending
Wiring X-sec (mm ²)	1.5
1-10V Dimming	Yes

Physical Data

With Protective Cover	Yes
Ambient Rated Temperature Range (°C)	-25 - 40
Degree of Protection (IP)	IP65
Housing Colour	Black
Housing Material	Aluminium
Reflector	None
Length (mm)	948
Width (mm)	137
Height/Depth (mm)	102
Lamp Type	LED Not Exchangeable
Reflector Material	Without Reflector
Impact Strength	IK10



185W VRack 2 Linear Highbay, 850, 1-10V

Order Code: VRK013-C10

Accessories

ACS083 - Triangle Ceiling Mount Bracket

ACS085 - 50° Rotatable Surface Mounting Kit

ACS067 - Programming Remote for SL / SH Sensors

ACS030 - Commissioning Remote for SL / SH Sensors

Logistical Data

Item Gross Weight (kg)	7.2
Packaging Length (cm)	125
Packaging Width (cm)	20
Packaging Height (cm)	16