

10W LED Glass Tube, (2FT) 600mm T8 G13, 840



Order Code: TBS016




Photometric Data

Lumens	1.050
LPW	105
Rated Life (Hrs)	50,000
L70 B50 @ 25C (Hrs)	>36,000
L80 B50 @ 25C (Hrs)	>36,000
L90 B50 @ 25C (Hrs)	34,100
CCT (K)	4000
CRI (Ra)	80
Beam (°)	160°

Electrical Data

Input (V) ±10%	220-240
Input (W)	10
Input (A)	0.05
Electrical Class	2
Inrush (A) (Ipeak)	100
Inrush (µs) (Ipeak/2)	15
No. per C16	72
Power Factor	>0.9
THD (%)	<20%
Equivalent Wattage	60



Physical Data

Lens Type	Glass
Dimensions (mm)	600mm, (T8) G13
Weight (kg)	0.12

10W LED Glass Tube, (2FT) 600mm T8 G13, 840



Order Code: TBS016

Environmental Data

Max. Ambient (°C) 40

Min. Ambient (°C) -20

IP Rating IP20

10W LED Glass Tube, (2FT) 600mm T8 G13, 840



Order Code: TBS016

NOTES:

To use with existing magnetic ballast please see wiring diagram.

To use with existing electronic gear, disconnect all electronic gear and wire direct to the lamp holder