

26W LED Glass Tube, (6FT) 1800mm, T8, G13, 840



Order Code: TBS044



Photometric Data


Lumens	2,800
LPW	107
Rated Life (Hrs)	30,000
L70 B50 @ 25C (Hrs)	>36,000
L80 B50 @ 25C (Hrs)	>36,000
L90 B50 @ 25C (Hrs)	34,100
CCT (K)	4000
CRI (Ra)	80
Beam (°)	160°

Electrical Data

Input (V) $\pm 10\%$	220-240
Input (W)	26
Input (A)	0.11
Electrical Class	2
Inrush (A) (I _{peak})	105
Inrush (μ s) (I _{peak} /2)	1.2
No. per C16	87
Power Factor	>0.9
THD (%)	<12%

Physical Data

Lens Type	Glass
Dimensions (mm)	1800mm (T8) G13
Weight (kg)	0.38



26W LED Glass Tube, (6FT) 1800mm, T8, G13, 840



Order Code: TBS044

Environmental Data

Max. Ambient (°C) 40

Min. Ambient (°C) -20

IP Rating IP20

26W LED Glass Tube, (6FT) 1800mm, T8, G13, 840



Order Code: TBS044

NOTES:

To use with existing magnetic ballast please see wiring diagram.

To use with existing electronic gear, disconnect all electronic gear and wire direct to the lamp holder