6.5W Fire Rated LED Gimbal Downlight 830

Order Code: DWL017

Photometric Data	
Lumens	700
LPW	88
Rated Life (Hrs)	50,000
L70 B50 @ 15C (Hrs)	>36,000
L70 B50 @ 25C (Hrs)	>36,000
L80 B50 @ 25C (Hrs)	>50,000
CCT (K)	3000
CRI (Ra)	>80
Beam (°)	38
UGR	<19



Electrical Data	
Input (V) ±10%	220-240
Input (W)	8
LED (W)	6.5
Input (A)	0.08
Electrical Class	2
Inrush (A) (Ipeak)	50
No. per C16	52
Power Factor	>0.85
THD (%)	<20

Physical Data	
Lens Type	Glass
Case Material	Aluminium
Cutout Size	83
Dimensions (mm)	Dia 95 x 65
Weight (kg)	0.6kg

Venture Lighting Europe Ltd., Trinity Court, Batchworth Island, Church Street, Rickmansworth WD3 1RT, United Kingdom
Tel: +44 (0) 845 230 2222, Fax: +44 (0) 845 230 2077, www.venturelightingeurope.com

6.5W Fire Rated LED Gimbal Downlight 830

Order Code: DWL017

Accessories	
ACS098	Brushed Chrome Bezel for Gimbal Fire Rated Downlight
ACS099	Chrome Bezel for Gimbal Fire Rated Downlight

Environmental Data	
Max. Ambient (°C)	45
Min. Ambient (°C)	-10
IP Rating	IP44

6.5W Fire Rated LED Gimbal Downlight 830

Order Code: DWL017



Driver for Downlight