

# 6.5W Fire Rated LED Gimbal Downlight 830



Order Code: DWL017



## Photometric Data


Lumens	700
LPW	88
Rated Life (Hrs)	50,000
L70 B50 @ 15C (Hrs)	>36,000
L70 B50 @ 25C (Hrs)	>36,000
L80 B50 @ 25C (Hrs)	>50,000
CCT (K)	3000
CRI (Ra)	>80
Beam (°)	38
UGR	<19

## Electrical Data

Input (V) ±10%	220-240
Input (W)	8
LED (W)	6.5
Input (A)	0.08
Electrical Class	2
Inrush (A) (Ipeak)	50
No. per C16	52
Power Factor	>0.85
THD (%)	<20

## Physical Data

Lens Type	Glass
Case Material	Aluminium
Cutout Size	83
Dimensions (mm)	Dia 95 x 65
Weight (kg)	0.6kg



# 6.5W Fire Rated LED Gimbal Downlight 830



**Order Code: DWL017**

---

## Accessories

ACS098	Brushed Chrome Bezel for Gimbal Fire Rated Downlight
ACS099	Chrome Bezel for Gimbal Fire Rated Downlight


---

## Environmental Data

Max. Ambient (°C)	45
Min. Ambient (°C)	-10
IP Rating	IP44

# 6.5W Fire Rated LED Gimbal Downlight 830

**Order Code: DWL017**



Driver for Downlight